ELSEVIER

Brain Research 947 (2002) 307–309

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abe, K., see Zhang, W.R. (947) 140
Almeida, O.F.X., see Fischer, A.K. (947) 290

Bada, H.S., see Yakubu, M.A. (947) 174
Badoer, E., Ng, C.-W. and De Matteo, R.
Tonic sympathoinhibition arising from the hypothalamic PVN in the conscious rabbit (947) 17
Balon, N., Kriem, B., Dousset, E., Weiss, M. and Rostain, J.-C.
Opposing effects of narcotic gases and pressure on the striatal dopamine release in rats (947) 218
Barna, I., see Rónai, A.Z. (947) 90
Beurg, M., see Hafidi, A. (947) 299
Blaho, K.E., see Yakubu, M.A. (947) 174
Blanc, J.-J., see Le Mével, J.-C. (947) 34
Borbély, A.A., see Vyazovskiy, V.V. (947) 204
Boucher, J.-M., see Le Mével, J.-C. (947) 34
Bouleau, Y., see Hafidi, A. (947) 299
Britto, L.R.G., see Toledo, C.A.B. (947) 122

Carlton, S.M.
Localization of CaMKIIα in rat primary sensory neurons: increase in inflammation (947) 252
Chan, P.H., see Kokubo, Y. (947) 1
Cheng, M., see Yoshimoto, T. (947) 191
Chitravanshi, V.C. and Sapru, H.N.
Microinjections of glycine into the pre-Bötzinger complex inhibit phrenic nerve activity in the rat (947) 25
Cid, M., see Rehen, S.K. (947) 78
Crockett, D.P., see Stern, J.M. (947) 110
Czéh, B., see Fischer, A.K. (947) 290

Deboer, T., see Vyazovskiy, V.V. (947) 204
De Matteo, R., see Badoer, E. (947) 17
Derugin, N., see Kokubo, Y. (947) 1
de Wilde, M.C., Farkas, E., Gerrits, M., Kiliaan, A.J. and Luiten, P.G.M.
The effect of n-3 polyunsaturated fatty acid-rich diets on cognitive and cerebrovascular parameters in chronic cerebral hypoperfusion (947) 166
Dousset, E., see Balon, N. (947) 218
Dulon, D., see Hafidi, A. (947) 299

Eisenach, J.C., see Zhu, X. (947) 199
Endo, Y., see Fueta, Y. (947) 212
Ettenberg, A., see López, H.H. (947) 57

Farkas, E., see de Wilde, M.C. (947) 166
Felipo, V., see Llansola, M. (947) 50
Fischer, A.K., Von Rosenstiel, P., Fuchs, E., Goula, D., Almeida, O.F.X. and Czéh, B.
The prototypic mineralocorticoid receptor agonist aldosterone influences neurogenesis in the dentate gyrus of the adrenalectomized rat (947) 290
Fragel-Madeira, L., see Rehen, S.K. (947) 78
Fuchs, E., see Fischer, A.K. (947) 290
Fueta, Y., Schwarz, W., Ohno, K., Endo, Y. and Mita, T.
Selective suppression of hippocampal region hyperexcitability related to seizure susceptibility in epileptic El mice by the GABA-transporter inhibitor tiagabine (947) 212
Fujikawa, N., Shimonaga, T., Tominaga-Yoshino, K. and Ogura, A.
Ultrafilter co-culture, a new method for estimating the molecular mass of bioactive substances, indicates a small molecule neurotrophic substance is released from cultured cerebellar granule neurons of the BALB/c mouse (947) 243
Fukudo, S., see Saito, K. (947) 146

Gabbita, S.P., see Zemlan, F.P. (947) 131
Gerrits, M., see de Wilde, M.C. (947) 166
Gilbert, A.B., see Ichiyama, R.M. (947) 225
Goula, D., see Fischer, A.K. (947) 290
Gyires, K., see Rónai, A.Z. (947) 90

Hafidi, A., Beurg, M., Bouleau, Y. and Dulon, D.
Comparative distribution of NK1, NK2, and NK3 receptors in the rat brainstem auditory nuclei (947) 299
Herman, J.P., see McCullers, D.L. (947) 41
Hernádi, I., see Kovács, P. (947) 150
Hill, T., see Kokubo, Y. (947) 1
Hirayama, J., see Takahashi, Y. (947) 100
Hubscher, C.H. and Johnson, R.D.
Differential effects of chronic spinal hemisection on somatic and visceral inputs to caudal brainstem (947) 234

Ichikawa, J., see Liégeois, J.-F. (947) 157
Ichiyama, R.M., Gilbert, A.B., Waldrop, T.G. and Iwamoto, G.A.
Changes in the exercise activation of diencephalic and brainstem cardiorespiratory areas after training (947) 225
Illnerová, H., see Sumová, A. (947) 260
Itakura, T., see Oiwa, Y. (947) 271
Iwai, M., see Zhang, W.R. (947) 140
Iwamoto, G.A., see Ichiyama, R.M. (947) 225

Jáč, M., see Sumová, A. (947) 260
Jauch, E.C., see Zemlan, F.P. (947) 131
Johnson, R.D., see Hubscher, C.H. (947) 234

Kanakaraj, P., see Yoshimoto, T. (947) 191
Kanazawa, M., see Saito, K. (947) 146
Kerr, I., see Yoshimoto, T. (947) 191
Kiliaan, A.J., see de Wilde, M.C. (947) 166
Kokubo, Y., Matson, G.B., Derugin, N., Hill, T., Mancuso, A., Chan, P.H. and Weinstein, P.R.
Transgenic mice expressing human copper–zinc superoxide dismutase exhibit attenuated apparent diffusion coefficient reduction during reperfusion following focal cerebral ischemia (947) 1
Kovács, P. and Hernádi, I.
Iontophoresis of lithium antagonizes noradrenergic action on prefrontal neurons of the rat (947) 150
Kriem, B., see Balon, N. (947) 218

Lancien, F., see Le Mével, J.-C. (947) 34
Lau, D., see Vyazovskiy, V.V. (947) 204
Le Mével, J.-C., Mimassi, N., Lancien, F., Mabin, D., Boucher, J.-M. and Blanc, J.-J.
Heart rate variability, a target for the effects of angiotensin II in the brain of the trout *Oncorhynchus mykiss* (947) 34
Leffler, C.W., see Yakubu, M.A. (947) 174
Li, X., see Zhu, X. (947) 199
Liégeois, J.-F., Ichikawa, J. and Meltzer, H.Y.
5-HT_{2A} receptor antagonism potentiates haloperidol-induced dopamine release in rat medial prefrontal cortex and inhibits that in the nucleus accumbens in a dose-dependent manner (947) 157

0006-8993/02/$ – see front matter © 2002 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(02)03312-7

Linden, R., see Rehen, S.K. (947) 78
Llansola, M. and Felipo, V.
Carnitine prevents NMDA receptor-mediated activation of MAP-kinase and phosphorylation of microtubule-associated protein 2 in cerebellar neurons in culture (947) 50
López, H.H. and Ettenberg, A.
Exposure to female rats produces differences in c-*fos* induction between sexually-naïve and experienced male rats (947) 57
Loy, R., see Sandstrom, N.J. (947) 9
Luiten, P.G.M., see de Wilde, M.C. (947) 166

Mabin, D., see Le Mével, J.-C. (947) 34
Malaiyandi, L., see Yoshimoto, T. (947) 191
Manabe, Y., see Zhang, W.R. (947) 140
Mancuso, A., see Kokubo, Y. (947) 1
Mandrell, T.D., see Yakubu, M.A. (947) 174
Maples, K.R., see Yoshimoto, T. (947) 191
Matson, G.B., see Kokubo, Y. (947) 1
McCullers, D.L., Sullivan, P.G., Scheff, S.W. and Herman, J.P.
Traumatic brain injury regulates adrenocorticosteroid receptor mRNA levels in rat hippocampus (947) 41
Meltzer, H.Y., see Liégeois, J.-F. (947) 157
Mimassi, N., see Le Mével, J.-C. (947) 34
Mita, T., see Fueta, Y. (947) 212
Mulchahey, J.J., see Zemlan, F.P. (947) 131
Müllner, K., see Rónai, A.Z. (947) 90

Nagano, I., see Zhang, W.R. (947) 140
Nakai, K., see Oiwa, Y. (947) 271
Nakajima, Y., see Takahashi, Y. (947) 100
Ng, C.-W., see Badoer, E. (947) 17
Nukada, H., see Ohshima, J. (947) 84

Ogura, A., see Fujikawa, N. (947) 243
Ohno, K., see Fueta, Y. (947) 212
Ohshima, J. and Nukada, H.
Hypoglycaemic neuropathy: microvascular changes due to recurrent hypoglycaemic episodes in rat sciatic nerve (947) 84
Oiwa, Y., Yoshimura, R., Nakai, K. and Itakura, T.
Dopaminergic neuroprotection and regeneration by neurturin assessed by using behavioral, biochemical and histochemical measurements in a model of progressive Parkinson's disease (947) 271

Palkovits, M., see Rónai, A.Z. (947) 90
Pires, R.S., see Toledo, C.A.B. (947) 122
Pourcyrous, M., see Yakubu, M.A. (947) 174

Ramos, J.M.J.
The perirhinal cortex and long-term spatial memory in rats (947) 294
Randolph, M.M., see Yakubu, M.A. (947) 174
Rehen, S.K., Cid, M., Fragel-Madeira, L. and Linden, R.
Differential effects of cyclin-dependent kinase blockers upon cell death in the developing retina (947) 78
Reichart, A., see Rónai, A.Z. (947) 90
Reiner, A., see Toledo, C.A.B. (947) 122
Rola, R., Szulczyk, B., Szulczyk, P. and Witkowski, G.
Expression and kinetic properties of Na^+ currents in rat cardiac dorsal root ganglion neurons (947) 67
Rónai, A.Z., Gyires, K., Barna, I., Müllner, K., Reichart, A. and Palkovits, M.
Gyrus cinguli transection abolishes delta-opioid receptor-induced gastroprotection and alters alpha 2 adrenoceptor activity in the lower brainstem in rats (947) 90
Rosenberg, W.S., see Zemlan, F.P. (947) 131
Rostain, J.-C., see Balon, N. (947) 218
Rudy, B., see Vyazovskiy, V.V. (947) 204

Saito, K., Kanazawa, M. and Fukudo, S.
Colorectal distention induces hippocampal noradrenaline release in rats: an in vivo microdialysis study (947) 146
Sandstrom, N.J., Loy, R. and Williams, C.L.
Prenatal choline supplementation increases NGF levels in the hippocampus and frontal cortex of young and adult rats (947) 9
Sapru, H.N., see Chitravanshi, V.C. (947) 25
Sato, K., see Zhang, W.R. (947) 140
Scheff, S.W., see McCullers, D.L. (947) 41
Schneider, J.S., see Schroeder, J.A. (947) 284
Schroeder, J.A. and Schneider, J.S.
$GABA_A$ and μ-opioid receptor binding in the globus pallidus and entopeduncular nucleus of animals symptomatic for and recovered from experimental Parkinsonism (947) 284
Schwarz, W., see Fueta, Y. (947) 212
Shimonaga, T., see Fujikawa, N. (947) 243
Siesjö, B.K., see Yoshimoto, T. (947) 191
Sládek, M., see Sumová, A. (947) 260
Speciale, S.G., see Zemlan, F.P. (947) 131
Stephenson, J.D., see Zarei, M. (947) 182
Stern, J.M., Yu, Y.-L. and Crockett, D.P.
Dorsolateral columns of the spinal cord are necessary for both suckling-induced neuroendocrine reflexes and the kyphotic nursing posture in lactating rats (947) 110
Sullivan, P.G., see McCullers, D.L. (947) 41
Sumová, A., Sládek, M., Jáč, M. and Illnerová, H.
The circadian rhythm of Per1 gene product in the rat suprachiasmatic nucleus and its modulation by seasonal changes in daylength (947) 260
Szulczyk, B., see Rola, R. (947) 67
Szulczyk, P., see Rola, R. (947) 67

Takahashi, Y., Hirayama, J. and Nakajima, Y.
Segmental regulation pattern of body surface temperature in the rat hindlimb (947) 100
Tobler, I., see Vyazovskiy, V.V. (947) 204
Toledo, C.A.B., Britto, L.R.G., Pires, R.S., Veenman, C.L. and Reiner, A.
Interspecific differences in the expression of the AMPA-type glutamate receptors and parvalbumin in the nucleus of Edinger–Westphal of chicks and pigeons (947) 122
Tominaga-Yoshino, K., see Fujikawa, N. (947) 243

Veenman, C.L., see Toledo, C.A.B. (947) 122
von Rosenstiel, P., see Fischer, A.K. (947) 290
Vyazovskiy, V.V., Deboer, T., Rudy, B., Lau, D., Borbély, A.A. and Tobler, I.
Sleep EEG in mice that are deficient in the potassium channel subunit K.v.3.2 (947) 204

Waldrop, T.G., see Ichiyama, R.M. (947) 225
Watson, J.A., see Yoshimoto, T. (947) 191
Weinstein, P.R., see Kokubo, Y. (947) 1
Weiss, M., see Balon, N. (947) 218
Williams, C.L., see Sandstrom, N.J. (947) 9
Witkowski, G., see Rola, R. (947) 67

Yakubu, M.A., Pourcyrous, M., Randolph, M.M., Blaho, K.E., Mandrell, T.D., Bada, H.S. and Leffler, C.W.
Consequences of maternal cocaine on cerebral microvascular functions in piglets (947) 174
Ying Ma, J., see Yoshimoto, T. (947) 191
Yoshimoto, T., Kanakaraj, P., Ying Ma, J., Cheng, M., Kerr, I., Malaiyandi, L., Watson, J.A., Siesjö, B.K. and Maples, K.R.
NXY-059 maintains Akt activation and inhibits release of cytochrome C after focal cerebral ischemia (947) 191
Yoshimura, R., see Oiwa, Y. (947) 271
Yu, Y.-L., see Stern, J.M. (947) 110

Zarei, M. and Stephenson, J.D.
Effects of DSP4 and dizolcipine on

connectivity of solid E19 cortical grafts to ablated SmI region of adult rats; an in vivo electrophysiological study (947) 182

Zemlan, F.P., Jauch, E.C., Mulchahey, J.J., Gabbita, S.P., Rosenberg, W.S., Speciale, S.G. and Zuccarello, M.
C-tau biomarker of neuronal damage in severe brain injured patients: association with elevated intracranial pressure and clinical outcome (947) 131

Zhang, W.R., Sato, K., Iwai, M., Nagano, I., Manabe, Y. and Abe, K.
Therapeutic time window of adenovirus-mediated GDNF gene transfer after transient middle cerebral artery occlusion in rat (947) 140

Zhu, X., Li, X. and Eisenach, J.C.
Spinal norepinephrine release from nitric oxide species is not increased following peripheral nerve injury in rats (947) 199

Zuccarello, M., see Zemlan, F.P. (947) 131